



FILTER CARTRIDGES

» Request a Quotation

Please contact the JSA office or your local JSA technical service representative and provide the following information:

1. Current cartridge length and diameter required.
2. Micron rating required.
3. Style of cartridge required. (Example: string wound, melt blown, carbon, etc.)
4. Quantity required.
5. Chemical composition of solution being filtered.

Thank you for the opportunity to quote.



Filtration is a key component for maintaining optimum performance of most metal finishing process solutions. Without it contaminants and particulate matter will build and rejects will occur. Filter cartridges are an efficient and cost effective means of removing insoluble material from process chemistry. They are available in numerous styles, sizes, materials and micron ratings. Please contact your local JSA technical sales & service representative for more information, product availability and discounted prices.



» Filter Cartridge Options

- **String Wound Cartridges** - 0.5 up to 150 micron
 - Material - Polypropylene, Polyester, Cotton, Rayon
 - Standard Lengths - 9.75 up to 40 inches
 - Standard Diameter - 2.5 and 4.5 inches
- **Melt Blown Cartridges** - 1 up to 100 micron
 - Material - Polypropylene, Nylon
 - Standard Lengths - 9.75 up to 50 inches
 - Standard Diameter - 2.5 and 4.5 inches
- **Carbon Cartridges** - 1, 3, 5, 10 micron
 - Material - Carbon, Polypropylene
 - Standard Lengths - 9.75 up to 40 inches
 - Standard Diameter - 2.5 and 4.5 inches

Cartridge Styles also Available: Stainless Steel, Resin Bonded, High & Standard Efficiency Pleated, Nylon 6,6 Membrane, Polyethersulfone Membrane & PTFE Membrane

Options

- End Caps & Gasket & O-rings available upon request



September 2013

» CONTACT US

John Schneider & Associates, Inc.

10620 N. Port Washington Rd, Mequon, WI 53092 Fax 262-241-8712 Phone 262-241-3200

Minneapolis (651) 633-1085 Chicago (708) 594-8888

www.JSAmc2.com · info@JSAmc2.com · orders@JSAmc2.com

An ISO 9001:2008 Registered Company